



knitcraft  
Christmas  
CAL  
Day 2



### Camera

Using Light Grey, ch19.

Row 1. 1dc in the 2nd ch from hook, 17dc, turn (18dc)

Rows 2-3. Ch1, 1dc in each st, turn (18dc)

Row 4. Ch1, 1dc in each st (18dc)

You will now work in a continuous round, you will not need to turn your work.

Rnd 5. Working around 4 sides of your rectangle, dc in same st for corner (counts as 2dc corner), 3dc down side edge, 2dc in corner, 16dc in other side of foundation chain, 2 dc in corner, 3dc up side edge, 2dc in corner, 16 dc. (46dc)

Rnd 6. Working in Blo, 1dc in each st around (46dc)

Rnds 7-10. 1dc in each st around (46dc)

Change to Teal

Rnds 11-13. 1dc in each st around (46dc)

Change to Mustard

Rnd 14-15. 1dc in each st around (46dc)

Change to Red

Rnd 16. 1dc in each st around (46dc)

Change to Light Grey

Rnds 17-21. 1dc in each st around (46dc)

Fasten off and sew in the ends.

### Top of the Camera

Using Light Grey Ch19

Row 1. 1dc in the 2nd ch from hook, 17dc, turn (18dc)

Rows 2-3. Ch1, 1dc in each st, turn (18dc)

Row 4. Ch1, 1dc in each st (18dc)

You will now work in a continuous round, you will not need to turn your work.

Row 5. Working around 4 sides of your rectangle, dc in same st for corner (counts as 2dc corner), 3dc down side edge, 2dc in corner, 16dc in other side of foundation chain, 2 dc in corner, 3dc up side edge, 2dc in corner, 16 dc. (46dc)

Fasten off leaving a long tail to sew the top to Rnd 21 of the Camera, stuff with fibre filling as you sew shut.

### Lens

Using Black, make a Mc.

Rnd 1. 6dc in mc (6dc)

Rnd 2. [2dc into next st] 6 times (12dc)

Rnd 3. [1dc, 2dc into next st] 6 times (18dc)

Rnd 4. [2dc, 2dc into next st] 6 times (24dc)

Change to Light Grey, fasten off Black.

Rnd 5. [3dc, 2dc into next st] 6 times (30dc)

Fasten off leaving a long tail and sew to the Camera.

With a small amount of White, embroider the highlight on the Lens.

### Flash

Using White, ch4

Row 1. 1dc in the 2nd ch from hook, 2dc, turn (3dc)

Rows 2-3. Ch1, 3dc, turn (3dc) Fasten off leaving a long tail to sew to the Camera.

### Button

Using Black make a Mc

Rnd 1. 6dc in mc (6dc)

Rnd 2. [2dc into next st] 6 times (12dc)

Rnd 3. Working into Blo, 1dc in each st around (12dc)

Rnd 4. 1dc in each st around (12dc)

Fasten off leaving a long tail to sew to the Camera lightly stuff with fibre filling before sewing closed.





